
NPS form 10-800 (Rev. 8-86)

United States Department of the Interior National Park Service



### National Register of Historic Places Registration Form

This form is for use in nominating or requesting determinations of eligibility for individual properties or districts. See instructions in Guidelines for Completing National Register Forms (National Register Bulletin 16). Complete each item by marking "x" in the appropriate box or by entering the requested information. If an item does not apply to the property being documented, enter "N/A" for "not applicable," For functions, styles, materials, and areas of significance, enter only the categories and subcategories listed in the instructions. For additional space use continuation sheets (Form 10-900s). Type all entries.

Form 10-900a). Type all en	tries.			
I. Name of Property				
nistoric name	SPRINGFI	ILD SCHOOL		
ther names/site number	DHR File	No. 127-832		
	Bowler So	hool		
. Location				
reet & number 608 N	orth 26th	Street	N/	
ty, town Richm	ond		N/	
Ate Virginia	code	VA county City of	Richmond code	760 zip code 23223
Classification	· · · · · · · · · · · · · · · · · · ·	<u> </u>	<u></u>	
wherenip of Property		Category of Property	Number of Re	sources within Property
x private		x building(s)	Contributing	Noncontributing
public-local		district	1	O buildings
public-State		site	0	O sites
public-Federal		structure	0	O structures
hanne, coers		object	0	0 objects
	.!		<del></del>	OTotal
			Mushar of on	ntributing resources previously
me of related multiple p blic Schools of Rich	property Hating:	a 1960-1090		
THE STATE OF KILL	ATT ATTE	a, 1002-130	liated in the N	ational Register <u>N/A</u>
State/Federal Agent	cy Certificati	on		
Signature of certifying office		ent of Historic Resou		6 Jul 1997 Date
State or Federal agency an		ent of miscoric vesor	I CEB	<del></del>
n my opinion, the prope		does not meet the National	Register criteria. See	continuation sheet.
Signature of commenting or	other official	<del> </del>		Date
			. <u>.                                   </u>	
tate or Federal agency and	d bureau			
National Park Service	• Certificatio	ń		<del>_</del>
reby, certify that this pr	operty is:			_
entered in the National I	Register.			
See continuation sheet.				
letermined eligible for th		<del></del>		<del></del>
legister. 🔲 See continue				_ <u></u>
letermined not eligible for				
National Register.	y: 111 <b>9</b>			
ARMANIEL LIAANSIAN				
emoved from the Nation	al Register			
ther, (explain:)	<del>-</del> .			<del></del>
mait (avhienny)		<b>-</b>		
<del></del>	<del></del>	Rigne*ura	of the Keeper	Date of Action

Current Functions (enter categories from instructions) VACANT/NOT_IN_USE		
TROMIT IN COL		
Materials (enter categories from instructions)		
foundation CONCRETE		
walls STONE: Granite		
roof ASPHALT		
other		
-		

9 Statement of Significance	
8. Statement of Significance Certifying official has considered the significance of this principle.	operty in relation to other properties:  statewide x locally
Applicable National Register Criteria XA BX	
Criteria Considerations (Exceptions)	D DE DF DG
Areas of Significance (enter categories from instructions)  EDUCATION	Period of Significance Significant Dates 1914–1930 1914
ARCHITECTURE	
	Cultural Affiliation N/A
Significant Person N/A	Architect/Builder Robinson, Charles M.; Supervising Architec Carneal and Johnston; Architects
	Wise Granite Company; Builder
State significance of property, and justify criteria, criteria co.	nsiderations, and areas and periods of significance noted above.

	Garage and a short
	X See continuation sheet
Previous documentation on file (NPS):	
preliminary determination of Individual listing (36 CFR 67)	Primary location of additional data:
has been requested	X State historic preservation office
previously listed in the National Register	Other State agency
previously determined eligible by the National Register	Federal agency
	Local government
designated a National Historic Landmark	
recorded by Historic American Buildings	University
Survey #	Other
recorded by Historic American Engineering	Specify repository:
Record #	Virginia Department of Historic Resou
	221 Governor St., Richmond, VA 23219
48 Congression Date	
10. Geographical Data	
Acreage of property	
UTM References A 1 8 2 8 6 5 7 0 4 1 5 6 6 8 0  Zone Easting Northing C	Zone Easting Northing  D See continuation sheet
·	
Verbal Boundary Description	
,	
•	
	See continuation sheet
•	- God Continuation shoot
Boundary Justification	
·	
	See continuation sheet
	The second second second
11. Form Prepared By	
name/title Paul L. Weaver, Senior Consultant	
organization Historic Property Associates	date October 31, 1991
street & number P. O. Box 1002	telephone 904_824_5179
Ch. A	state Florida zip code 32085
city or townSt. Augustine	TIETO

9. Major Bibliographical References

## United States Department of the Interior National Park Service

### National Register of Historic Places Continuation Sheet

Section number	7	Page 1	Springfield School, Richmond, Virginia	

#### SUMMARY PARAGRAPH

The Springfield School is a two-and-one-half story, granite-faced educational facility, with a raised basement and a small penthouse. It is located at 608 N. 26th Street between Leigh and M streets in the proposed Upper Church Hill Historic District. Constructed in 1913, it is a good example of the Gothic Revival style.

#### PRESENT AND ORIGINAL PHYSICAL APPEARANCE

The Springfield School is located on the east half of a rectangular block, some 1.2 acres, bordered by 25th and 26th streets and M and Leigh streets. The remainder of the site is covered by an asphalt parking lot and playground. Most of the surrounding area is residential and was developed between 1800 and 1939.

The school has an H-shaped ground plan and rests on a poured-concrete slab foundation. Its structural system is load-bearing brick. Perhaps its most unusual and significant feature is its granite exterior finish. The roof is a built-up type with a crenelated parapet. On the west side of the roof is a one-story penthouse. The fenestration of the building is regular. It is composed primarily of double-hung sash windows with 4/4 lights. Windows are arranged in groups of five in the classroom areas.

The main entrance fronts on 26th Street and is part of a projecting central pavilion. The main entrance contains most of the ornamentation and stylistic features of the building. The exterior entrance is defined by a tudor arch with a labeled hood mold and two wrought iron, swinging gates with S-shaped shields (symbolizing Springfield School). On each side of the arch are apertures, a further feature of the Gothic style. A name plate above the entrance bears the subsequent name of Bowler School. The upper portion of the pavilion is completed by a crenelated and shaped parapet. A stylized date plate is centered in the shaped portion of the parapet.

The Springfield School was constructed in 1913, replacing an earlier school constructed in 1880 on the same site. The Springfield School is a good example of the versatility of standard school building design. The Gothic styling of the building was common for this property type, but the use of granite on an institutional building is rare. However, other features of the building—the basic classroom size, expansive windows, high ceilings, and an open setting with adjacent playgrounds—were shared by schools ranging from one-room rural types to large urban schools.

The Springfield School is currently vacant and in fair condition. Its interior has undergone some minor alterations, but its plan is intact, and many of its original features, including fine stairways, remain in place.

#### 10°E Perio 10-0604

United States Department of the Interior National Park Service

# National Register of Historic Places Continuation Sheet

Section number 8	Page 2	Springfield School, Richmond,	Virginia
------------------	--------	-------------------------------	----------

#### STATEMENT OF SIGNIFICANCE

The Springfield School appears eligible for listing in the National Register under Criteria A and C. It is eligible under Criterion A for its association with an important per d of development in the history of the Richmond Public School system. It is further eligible under Criterion C for its association with a locally significant architect, its architectural style, the construction material used on its exterior, and the type of property it embodies.

#### HISTORICAL BACKGROUND

As early as 1869 a two-room school was operating on this site in a building known as Springfield Hall. By 1871 the building was referred to as Springfield School. In 1880 a new brick school, also named Springfield, was constructed on the site. Seven years later a second story was added. In 1913 the school was demolished and the present building constructed in its place. In 1948, the Springfield School was renamed for J. Andrew Bowler, a highly respected civic leader and teacher, when it became the first former white school on Church Hill to receive black students.

The Springfield School is associated with an important period in the history of public education in Richmond. Between 1870, when the Board of Public Instruction launched its initial acquisition and development program, and 1909, capital outlay for school construction was modest. In 1909, Dr. J.A.C. Chandler was named Superintendent of Richmond Public Schools. Dr. Chandler soon initiated an ambitious construction program which was overseen by Public School Architect Charles M. Robinson. Over the next twenty years most of the extant historic school buildings in Richmond were constructed. The Springfield School is one of the best examples of the schools constructed during this period. The Depression of the 1930s and World War II effectively ended this phase of school construction in Richmond. Not until after the war were schools constructed on a scale comparable to the 1909-1929 period.

The Springfield School was designed by Carneal and Johnston, Architects and Engineers, of Richmond, a locally significant architectural firm. William Leigh Carneal, a native of Richmond, designed numerous buildings in the city. In addition to the Springfield School, he designed the Nathaniel Bacon School and the Virginia State Library on Capitol Square. He was also associated with the design of several buildings at Virginia Military Institute, Lexington and Virginia Polytechnic Institute, Blacksburg.

The Springfield School was constructed of locally quarried stone by the Wise Granite Company of Richmond. It is a relatively rare example of the use of granite within the city of Richmond, where brick has been the most common masonry material. It is one of only two extant public schools in Richmond extensively faced with granite. The use of granite was particularly appropriate to the Springfield School because of its Gothic styling. The granite lends greater authenticity to the Gothic styling whose origins date to the medieval period and are closely associated with the architecture of churches and fortifications.

1070 Parts 10-000-0

United States Department of the interior National Park Service

# National Register of Historic Places Continuation Sheet

Section number 8	Page 3	Springfield School,	Richmond,	Virginia
------------------	--------	---------------------	-----------	----------

Another aspect of the architectural significance of the Springfield School is its Gothic Revival styling. During the 1830s the Gothic Revival style was championed in the works of Alexander Jackson Davis, the country's most prolific practitioner of the style. Davis's plans for houses and cottages were widely distributed in the popular books of Andrew Jackson Downing. Downing produced several pattern books which illustrated the suitability of the style to modest domestic architecture. Downing's publications made the Gothic one of the predominant building styles of the period. The Gothic Revival style was most popular in the United States between 1840 and 1870, although it remained a popular building style for religious and educational buildings well into the 20th century. The Gothic Revival was particularly important in Virginia, where Alexander Jackson Davis designed a number of buildings, including the "Barracks" at Virginia Military Institute. The Springfield School is a high-style example of the adaptation of the Gothic style to educational architecture.

Beyond its Gothic styling, the Springfield School shares certain traits common to hundreds of other schools throughout the country. While historic school buildings varied greatly in terms of their size, style, and materials, their designs did adhere to certain standards. The earliest published standards for school buildings date to 1832 when William A. Alcott prepared a brief treatise on school design. Alcott stressed that fresh air, space, and light were necessary in promoting a healthy learning environment. He suggested the liberal use of large windows, classrooms providing a separate desk for each pupil, and open surroundings for recreation. For more than a century afterwards, school architects followed similar standards. These schools featured a basic classroom size of about 25 by 35 feet, expansive windows, high ceilings, and an open setting usually with adjacent playgrounds and athletic fields. These characteristics were shared by schools ranging from one-room rural types to large urban schools. The Springfield School shares many of these traits and is a good example of the adaptation of the Gothic style to traditional school design.

The Springfield School appears eligible for listing in the National Register under Criteria A and C. It is associated with a significant period of educational development as well as a locally prominent architectural firm. It embodies an important architectural style and building type, and is a rare example in Richmond of the use of granite as a construction material.

#### NPE Face 1040be

### United States Department of the Interior National Park Service

# National Register of Historic Places Continuation Sheet

Section number 9 Page 4 Springfield School, Richmond, Virginia

#### **BIBLIOGRAPHY**

#### Books and Manuscripts

- Deierhoi, William H. and Dr. Sam P. Sentelle. "Sketches of the Richmond Public Schools." Richmond, Virginia: n.p., 1973.
- Dulaney, Paul S. Dulaney. **The Architecture of Historic Richmond** Charlottesville: University of Virginia Press,
  1976.
- Historic Richmond Foundation. "Survey of Neighborhoods and Structures Church Hill Area." Richmond, Virginia: Historic Richmond Foundation, 1980.
- Loth, Calder, ed. The Virginia Landmarks Register.
  Charlottesville: University Press of Virginia, 1986.
- Maddex, Diane, ed. Built in the U.S.A., American Buildings from Airports to Zoos. Washington, D.C.: National Trust for Historic Preservation, 1985.
- Meagher, Margaret. History of Education in Richmond. Richmond, Virginia: Virginia Division of the Works Progress Administration, 1939.
- National Trust for Historic Preservation. Surplus Schools.
  National Trust for Historic Preservation: Washington,
  D.C., 1982.
- Scott, Mary Wingfield. Old Richmond Neighborhoods Richmond: Whittet and Shepperson, 1950.
- Traub, Gerald P. 3R's for schools. Raleigh, North Carolina: The Historic Preservation Foundation of North Carolina, Inc., 1990.
- Ward, Harry M. Richmond, An Illustrated History Northridge, California: Windsor Publications, Inc., 1985.

10<sup>4</sup>0 Ferm 104804 (8-40)

United States Department of the Interior National Park Service

### National Register of Historic Places Continuation Sheet

Section number 9 Page 5 Springfield School, Richmond, Virginia

Winthrop, Robert P. and Virginius Dabney. ed. Architecture in Downtown Richmond. Richmond: Junior Board, Historic Richmond Foundation, 1982.

#### Miscellaneous Sources

- Commonwealth of Virginia. Department of Historic Resources. Richmond, Virginia. National Register Nomination File.
- City of Richmond. Department of Community Development. Vertical Files.
- City of Richmond. Board of Public Instruction, Real Estate Division. Original Plans of Richmond Schools.
- Wells, John. Architectural Historian, Department of Historic Resources. Manuscripts and primary source material relating to Charles M. Robinson and William Leigh Carneal.

NPS Form to abbe

United States Department of the Interior National Park Service

## National Register of Historic Places Continuation Sheet

Section number 10 Page 6	_ Springfield School, Richmond, Virginia
--------------------------	--

#### VERBAL BOUNDARY DESCRIPTION

BEGINNING at the point of intersection of the west right-of-way line of 26th Street and the south right-of-way line of "M" Street 331.32 feet, more or less, to the point of intersection of the west right-of-way line of 26th Street and the north right-of-way line of Leigh Street; thence in a northwesterly direction along Leigh Street 125.62 feet, more or less, to an alley 12 feet in width; thence in a northeasterly direction along said alley 131.00 feet, more or less, to a point; thence in an easterly direction along said alley 39.22 feet, more or less, to a point; thence in a northeasterly direction along said alley 18.00 feet, more or less, to a point; thence in a northwesterly direction along a property line 95.00 feet, more or less, to a point; thence in a northeasterly direction 151.00 feet, more or less, to a point on the south right-of-way line of "M" Street; thence southeasterly direction along the south right-of-way line of "M" Street 198.04 feet, more or less, to the point of BEGINNING, and as shown shaded on Department of Public Works Drawing No. N-21966, dated May 18, 1989, on file in the Bureau of Engineering, Department of Public Works, of the City of Richmond and a copy of which is attached to the draft of Ordinance No. 89-158-143 on file in the office of the City Clerk. Said property is more particularly described on that certain plat of survey by Fred A. Gibson & Associate, dated October 30, 1990, revised March 16, 1991, reference to which plat is hereby made.

#### **BOUNDARY JUSTIFICATION**

The boundary is justified under the National Register Criteria in that it contains all the significant resources historically associated with the property.